

Table 1 b

**MO-EUE-PA**

Metric Unit

Pipe Body					Pin	Coupling		
Outside Diameter	Nominal Weight	Wall Thickness	Inside Diameter	Drift diameter	Make up loss	Standard Coupling	Joint Efficiency	Length
mm	kg/m	mm	mm	mm	mm	mm	%	mm
60.32	6.99	4.83	50.66	48.29	50.75	77.80	100	99.97
73.02	9.67	5.51	62.00	59.61	57.79	93.17	100	114.05
88.90	13.84	6.45	76.00	72.82	61.85	114.30	100	122.17
101.60	16.37	6.65	88.30	85.12	65.02	127.00	100	128.52
114.30	18.97	6.88	100.54	97.36	68.20	141.30	100	134.87